(T)

630 E. FOOTHILL BLVD. P.O. BOX 9016 SAN DIMAS, CALIFORNIA 91773-9016

Canceling Revised Cal. P.U.C. Sheet No. 5652-W

Form No. 18
Golden State Water Company
Waste of Water Notice

Front



Back





IMPORTANT NOTICE



24-hour Customer Service Center 1-800-999-4033

Para recibir esta informacion en espanol, por favor ilame a 1-800-999-4033

WATER WASTE WAS REPORTED AT:

N

Street Address			
City	Date	Time	
The folia	owing was observed ar	nd/or reported:	
☐ Hosing down drivew			
☐ Excessive water run	off		

- Onsite leak. Please repair by
- ☐ Watering during peak hours of the day
 ☐ Other:

Please take steps to use water more efficiently by addressing the issue(s) reported above.

ff you have any questions, please call our Customer Service Center available 24 hours a day, 7 days per week at 1-800-999-4033.

Para recibir esta información en espanol, por favor llame a 1-800-999-4033. Golden State Water Employee Number: _____

Here are a few simple tips to use water efficiently outdoors

- Use a broom instead of a hose to clean driveways, sidewalks and patios.
- Use a nozzle on your hose to control water flow while washing your car.
- Check your property for leaks. To determine if you have a leak, turn off all
 of the water in and around your home and monitor the meter to see if the
 needle continues to move. If it does, chances are you have a leak on the
 property.
- Water plants during the early morning, or in the late evening, to avoid daytime heat. This reduces the amount of water lost through evaporation, and also provides water for the plants to help them get through the heat of the day. Or, install a smart irrigation controller, which automatically controls irrigation based on local weather conditions.
- For additional water-use efficiency tips and information about your water service, please visit our website at gswater.com

.0.	Caldan Cart
	Golden State
	Water Company

(T)

ISSUED BY

R. J. SPROWLS

President

Date Filed: <u>July 29, 2014</u> Effective Date: <u>July 29, 2014</u> Resolution No.

Advice Letter No. <u>1573-W</u>
Decision No. _____